

Food Establishment Public Inspection Report
From 6/13/13 thru 6/19/13

ESTABLISHMENT

AMERICAS BEST VALUE INN
1801 S LAKESIDE ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1626	EHF21	COS	MANUAL WARE WASHING		6/18/2013	3	HL1B	
			Wipe-down sanitizing solution found at 0ppm. Must be 100ppm. b)Test strips acquired. IN					

AMIGOS #524
3300 E INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF111	EHF10	COS	SOUND CONDITION		6/14/2013	4	HL1B	
			Dented cans found on shelves. b)Cracked eggs found in cartons for sale.					

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13**

ESTABLISHMENT

ASHMORE INN & SUITES II INC**2301 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF223	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/13/2013	3	HL1B	
			You will need to have someone take Food Manager Class on July 10 and test July 12 (see handout).					
	EHF28	H30 DAY	ALL OTHER VIOLATIONS		6/13/2013			
			a)Cover for bagles is broken. b)Labels for cereals need to list ingredients. c)Make sure that handwashing sink is not blocked. COS					

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****BLUE FRONT CAFE
801 SW 6TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF510	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/18/2013	3	HL1B
			Seal on cooler needs to be replaced.				
	EHF25	COS	FOOD CONTACT SURFACES		6/18/2013		
			Microwave needed to be cleaned.				
	EHF15	H 3 DAYS	EQUIPMENT ADEQUATE		6/18/2013		
			Cooler temped at 60 degrees. Food moved into a working cooler.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**BLUEBONNETT LLC
3222 SE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1344					6/14/2013	0	HFOL

**CAKE COMPANY THE
1502 5TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC137	EHF10	COS	SOUND CONDITION Broken eggs in tray in refrigerator.		6/14/2013	4	HL1B

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13**

ESTABLISHMENT

CANYON SWIMMING POOL**1900 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC224	EHF15	COS	EQUIPMENT ADEQUATE		6/14/2013	6	HL1B
			Refrigerator was at 43 degrees, make sure thermostat is at proper setting.				
	EHF28	H60 DAY	ALL OTHER VIOLATIONS		6/14/2013		
			Back wall needs to be cleaned.				
	EHF24	COS	THERMOMETERS		6/14/2013		
			No thermometer in refrigerator.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**CANYONS RETIREMENT COMMUNITY****2200 SW 7TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF839	EHF03	COS	HOT HOLDING		6/18/2013	5	HL1B
Steak pattie in hot hold carrier at 125°F. Must be consumed within 2 hours and do not save leftovers.							

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

CHEETAHS
3437 W INTERSTATE 40

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1497	EHF15	COS	EQUIPMENT ADEQUATE		6/14/2013	12	HL1B
			Refrigerator with milk products at 47°.				
	EHF16	COS	HAND WASH FACILITIES ADEQUATE		6/14/2013		
			Handwashing sink blocked with towels.				
	EHF21	COS	MANUAL WARE WASHING		6/14/2013		
			No sanitizer in three compartment sink.				
	EHF25	COS	FOOD CONTACT SURFACES		6/14/2013		
			Soda gun needed to be cleaned. b)Pan with ice scoop needed to be cleaned.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/14/2013		
			Floor at entrance to bar needs to be repaired.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**CITY OF REFUGE
613 S ADAMS ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1135	EHF25	COS	FOOD CONTACT SURFACES		6/18/2013	7	HL1B	
			Ice scoop stored on unclean surface. b)Refrigerator racks need to be cleaned.					
	EHF14	COS	WATER SUPPLY		6/18/2013			
			Backflow prevention device needed between mopsink faucet and hose.					

**CROSS POINTE CHURCH
4417 PARKER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HFT3964	EHF02	COS	COLD HOLDING		6/16/2013	5	HL1B FOOD	
			Tomatoes not held at 41°F or below. Must hold cut tomatoes at 41°F or below. Tomatoes placed on ice.					

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

DOLLAR GENERAL STORE #14181

1430 W AMARILLO BLVD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2352					6/14/2013	0	H PREOPEN

DOLLAR GENERAL STORE #14435

2950 E FM 1151

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFR81	EHF14	H10DAY	WATER SUPPLY		6/19/2013	0	H PREOPEN

Water must come from an approved source. Please provide TCEQ approval for public water supply or provide sample results of bacterial quality of water. You are not approved to operate until you get water sample approved results.

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**DONUT STOP INC
1602 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF50	EHF16	COS	HAND WASH FACILITIES ADEQUATE		6/13/2013	3	HL1B
			Handwashing sink was blocked with utensils.				
	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/13/2013		
			Floor where cabinet was removed needs to be repaired.				

**EASTRIDGE LANES INC
5405 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF186	EHF23	IN	SEWAGE/WASTEWATER		6/19/2013	0	HFOL
			Corrected.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**EL SIETE DE COPAS
2628 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2416	EHF24	H10DAY	THERMOMETERS		6/14/2013	0	H PREOPEN
			No thermometer in refrigerator with limes and tomato juice.				
	EHF22	H60 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/14/2013		
			Food manager needed at establishment. Must take course and pass test by 8/16/13. See schedule.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/14/2013		
			Handwashing signs in English and Spanish needed in womens restroom, mens restroom and covered trash cans needed in women's restroom.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/14/2013		
			No soap at handsink in men's restroom. b)No soap at handsink in women's restroom.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		6/14/2013		
			No handsink available behind bar. Must install handsink with hot and cold water under pressure.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**EL SIETE DE COPAS**

HF2416	EHF21	H10DAY	MANUAL WARE WASHING	6/14/2013	0	H PREOPEN
--------	-------	--------	---------------------	-----------	---	-----------

Approved sanitizer needed for sanitizing solution. Bleach or quaternary ammonia. b) Test strips needed for sanitizing solution. Must be 50-100ppm for chloride solution and 200ppm for quat ammonia.

ESKIMO HUT**4201 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF84	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED	Corrected.	6/19/2013	0	HFOL

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****FAMILY DOLLAR #4337****3510 SE 10TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF381	EHF10	COS	SOUND CONDITION		6/13/2013	4	HL1B
			Several dented cans on shelf for sale.				

FAT-BOYS BBQ**104 N 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC121	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/14/2013	0	HL1B
			Freezer needs to be defrosted.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**FRAZZLEBERRY LLC
1909 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2116	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2013	0	HL1B
			a)Replace light cover in kitchen area.				

**GRANDMAS BURRITOS
7012 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1361					6/18/2013	0	HFOL

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**GROUND CAFE THE
600 S TYLER ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1675					6/19/2013	0	HL1B

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****HILLSIDE HEIGHTS REHAB SUITES****6650 S SONCY RD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2421	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/18/2013	0	H PREOPEN
			Food manager must be obtained within 45 days of opening.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		6/18/2013		
			Kitchen must be cleaned from floor to ceiling. All shelving, tables and equipment must be spotless before opening.				
	EHF14	H10DAY	WATER SUPPLY		6/18/2013		
			Hot and cold running water must be available to all handsinks before opening.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		6/18/2013		
			Door sweep needed at back door.				
	EHF21	H10DAY	MANUAL WARE WASHING		6/18/2013		
			Dishmachine must work properly. Heat sanitizer not working.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

HILLSIDE HEIGHTS REHAB SUITES

HF#	EHF#	DAY	VIOLATION	DATE	SCORE	STATUS
HF2421	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS Soap and paper towels must be at every handsink.	6/18/2013	0	H PREOPEN
HF2421	EHF27	H45 DAY	ESTABLISHMENT PERMIT Food manager needed.	6/18/2013	0	HFOL
	EHF25	IN	FOOD CONTACT SURFACES Corrected.	6/18/2013		
	EHF14	IN	WATER SUPPLY Corrected.	6/18/2013		
	EHF19	IN	RODENTS/ANIMALS/OPENINGS Corrected.	6/18/2013		
	EHF21	IN	MANUAL WARE WASHING Corrected.	6/18/2013		

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

HILLSIDE HEIGHTS REHAB SUITES

HF2421	EHF17	IN	HAND WASH WITH SOAP/TOWELS		6/18/2013	0	HFOL
Corrected.							

**HONEY CRUST HAMS INC
2626 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1686	EHF09	COS	APPROVED SOURCE/LABELING		6/13/2013	4	HL1B
Ham bones for sale must be labeled at minimum with: Name of item, name and place of business, quantity.							
	EHF28	COS	ALL OTHER VIOLATIONS		6/13/2013		
Wipe down fan that cools hams.							

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**HOOKAH STAR
2514 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF2410	EHF28	COS	ALL OTHER VIOLATIONS		6/19/2013	0	HL1B	
			a)English and Spanish handwash signs needed in restrooms.					

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**HUNGRY HOWIES****3300 S WASHINGTON ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1443	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/13/2013	13	HL1B
			Current Food Manager card needs to be posted.				
	EHF25	H10DAY	FOOD CONTACT SURFACES		6/13/2013		
			Vent hood needs to be cleaned.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/13/2013		
			Open personal food in freezer with food for customers.				
	EHF19	H10DAY	RODENTS/ANIMALS/OPENINGS		6/13/2013		
			Back door needs to have door sweep replaced.				
	EHF20	COS	TOXIC ITEMS		6/13/2013		
			Spray bottle not labeled.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**INDIAN OVEN LLC
5713 SW 34TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2391	EHF20	COS	TOXIC ITEMS		6/13/2013	11	HL1B
			Quat sanitizer for wipe down in kitchen over 400ppm. Must be 200ppm-400ppm. b)Quat sanitizer used to spray down table was over 400ppm. Must be 200ppm-400ppm.				
	EHF15	IN	EQUIPMENT ADEQUATE		6/13/2013		
			Walk in cooler is at 38°F. b)Reach in cooler is at 41°F.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/13/2013		
			Food employee drinking from glass with no lid or straw. All drinks in the kitchen must have a lid and a straw.				
	EHF10	COS	SOUND CONDITION		6/13/2013		
			Dented cans of mushrooms in the walk in cooler. Place dented cans in a separate area from the undented cans.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/13/2013		
			Cover needed for trash can in employee restroom. a)Corrected. c)Corrected. d)Corrected. e)Corrected. f)Corrected. h)Corrected.				

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****INDIAN OVEN LLC**

HF2391	EHF26	IN	POSTING OF ADVISORIES		6/13/2013	11	HL1B
			Corrected.				

**J & JS RED ROCK
1306 NE 3RD AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2415					6/19/2013	0	HL1B

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**JERRYS CAFE
1601 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2341	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/19/2013	11	HL1B
			Venthood needs to be cleaned.				
	EHF12	COS	CROSS CONTAMINATION		6/19/2013		
			Handle of ice scoop found in contact with ice. Must store scoop in a clean dry location.				
	EHF13	COS	HACCP PLAN/TIME		6/19/2013		
			Containers of cooked food found without date mark.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/19/2013		
			No paper towels in mens restroom.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**JUST CHILLIN
14500 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFRM343					6/19/2013	0	HL1B

**LA CAMPANA
2220 CANYON DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF267	EHF21	COS	MANUAL WARE WASHING		6/18/2013	7	HL1B	
			There was no sanitizer in three compartment sink.					
	EHF12	COS	CROSS CONTAMINATION		6/18/2013			
			Ice scoop was laying in ice in ice machine, store in holder or in a clean dry container.					

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**LEARNING DEPOT
5398 MEADOWGREEN DR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD58					6/18/2013	0	HFOL

**LEMONGRASS
2222 SE 27TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2132	EHF28	COS	ALL OTHER VIOLATIONS		6/13/2013	0	HL1B

Vent hood needs to be wiped down. b)All food scoops must have a handle. c)Drawer at prep table needs to be cleaned. d)Shelves in walk in need to be cleaned.

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****LOGANS ROADHOUSE
8310 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF898	EHF28	H90 DAY	ALL OTHER VIOLATIONS		6/18/2013	7	HL1B
			a)Broken tiles in floor. b)Door to meat room needs to be repaired or replaced.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/18/2013		
			Handling flatware without gloves while wrapping.				
	EHF21	COS	MANUAL WARE WASHING		6/18/2013		
			a)Warewashing machine not sanitizing at time of inspection. b)No sanitizer found in bucket with wipe down cloth.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**LOS BRACEROS
3303 BELL ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1921	EHF21	H10DAY	MANUAL WARE WASHING		6/18/2013	21	HL1B
			a)Dishwasher is not sanitizing properly. Must be at least 50 ppm, not exceeding 200 ppm.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/18/2013		
			a)No paper towels at handsink at wait station.				
	EHF13	COS	HACCP PLAN/TIME		6/18/2013		
			a)Date mark all cooked food items from the date of preparation.				
	EHF11	COS	PROPER HANDLING RTE		6/18/2013		
			a)Handle of the ice scoop down in drink ice. Keep handle up and out of product.				
	EHF10	COS	SOUND CONDITION		6/18/2013		
			a)Clamato that says "refrigerate after opening" needs to be completely submerged in ice to hold at refrigeration temperature.				

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****LOS BRACEROS**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1921	EHF25	COS	FOOD CONTACT SURFACES		6/18/2013	21	HL1B
			a)Ice scoop stored on single service honey packets and cardboard. Store on clean surface. b)Tea nozzle with grime on it. Clean daily. c)Cheese grater with food debris on it drying on a clean rack. Rewash.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2013		
			a)Repair ceiling over ice machine. b)Clean splatter where squeeze bottles are stored above grill.				

**LOVES COUNTRY STORE #250
14701 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFP4	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/18/2013	0	HL1B
			Roof damage in hail storm. Roof leaking, some ceiling tiles removed due to roof leaks. Roof repair and ceiling tile repair within 10 days.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**LUPITAS GRILL
3221 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2218	EHF28	COS	ALL OTHER VIOLATIONS		6/19/2013	13	HL1B
			a)Raw chicken stored above pork. b)Handwashing signs needed at handsinks. c)Replace ceiling tile above ice machine. d)Raw egg stored over cooked food. e)Rice and beans must be stored 6" off the ground. f)Do not thaw bacon by sitting it out.				
	EHF13	COS	HACCP PLAN/TIME		6/19/2013		
			a)All cooked items in the refrigerator for more than 24hours must be date marked.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/19/2013		
			a)No paper towels at handsink at wait station.				
	EHF19	COS	RODENTS/ANIMALS/OPENINGS		6/19/2013		
			a)Drain line from ice machine must have at least a 4" air gap to the floor drain.				
	EHF20	COS	TOXIC ITEMS		6/19/2013		
			a)Chemical unlabeled in kitchen.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**MCDONALDS
1815 S GRAND ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2321					6/13/2013	0	HL1B

**MERCADO LATINO
3500 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1180	EHF28	IN	ALL OTHER VIOLATIONS		6/17/2013	0	HFOL	
			Light bulbs removed from fixtures above produce display. b)Venthood cleaned.					
	EHF23	IN	SEWAGE/WASTEWATER		6/17/2013			
			Repairs complete.					

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**MR GATTIS
4412 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF6	EHF21	IN	MANUAL WARE WASHING		6/13/2013	0	HFOL
			a)Corrected.				
	EHF15	IN	EQUIPMENT ADEQUATE		6/13/2013		
			a)Corrected. b)Corrected. c)Corrected.				

MUDD RACK 500 E HASTINGS AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2134	EHF19	IN	RODENTS/ANIMALS/OPENINGS		6/17/2013	0	HFOL
			Back door repaired.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

PAPA JOHNS PIZZA #1556**1005 S GEORGIA ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF126	EHF28	COS	ALL OTHER VIOLATIONS		6/13/2013	0	HL1B	
			Employee food on storage shelf with food product, second offence.					

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

PEPITOS MEXICAN RESTAURANT

408 23RD ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC211	EHF28	COS	ALL OTHER VIOLATIONS		6/14/2013	6	HL1B
			a)Pans of food in walkin need to be covered after cooling. b)Cooked food should not be stored under raw meat.				
	EHF20	COS	TOXIC ITEMS		6/14/2013		
			a)Spray bottle in warewashing room was not labeled. b)Bottle of bleach did not have lid.				
	EHF15	H10DAY	EQUIPMENT ADEQUATE		6/14/2013		
			Reachin in kitchen was not maintaining temperature.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**PIZZA HUT
6905 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1449	EHF08	COS	GOOD HYGIENIC PRACTICES		6/18/2013	10	HL1B
			Open personal drink on shelf above food area.				
	EHF21	COS	MANUAL WARE WASHING		6/18/2013		
			a)Warewashing machine was not sanitizng at time of inspection. b)No sanitizer found in bar sink.				
	EHF25	COS	FOOD CONTACT SURFACES		6/18/2013		
			a)Can opener needed to be cleaned. b)Warewashing machine needed to be cleaned. c)Soda gun in bar needed to be cleaned. d)Vent over pizza oven needed to be cleaned. e)Top of pizza oven needed to be cleaned.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**ROCK N ROLL SODA SHOPPE**

400 16TH ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFT3965					6/14/2013	0	HL1B FOOD

SCHLOTZSKYS DELI

1612 ROSS ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF517					6/13/2013	0	HFOL

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**SCOTTS OYSTER BAR
4150 PARAMOUNT BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF398					6/18/2013	0	HL1B

**SHIVER SHACK
400 23RD ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC321	EHF28	IN	ALL OTHER VIOLATIONS		6/14/2013	0	HL1B FOOD
			Two corrections from previous inspection.				
	EHF16	IN	HAND WASH FACILITIES ADEQUATE		6/14/2013		
			Handwashing sink installed.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

SKY WEST ASSISTED LIVING CTR**2623 12TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFC285					6/14/2013	0	HL1B

**SNOW SLOPE THE
20101 W INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFCM433	EHF22	H45 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/14/2013	3	HL1B
			Food manager required within 45 days.				
	EHF14	IN	WATER SUPPLY		6/14/2013		
			Bushland Public Water supply.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**SNOWWHITE BAKERY
2801 CIVIC CIR**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1145					6/19/2013	0	HL1B

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

SPICY MIKES BAR-B-Q HAVEN**7028 S WESTERN ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFK121					6/13/2013	0	H PREOPEN
HFK121					6/14/2013	0	HL1B

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**SPLASH AMARILLO WATER PARK**

1415 SUNRISE DR

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF1657	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2013	5	HL1B	
			Blowers in walk-in refrigerator need to be cleaned.					
	EHF02	COS	COLD HOLDING		6/18/2013			
			Walk-in refrigerator and contents within unit found at 41°F or below.					

SUBWAY 25610

2001 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type	
HF496	EHF25	COS	FOOD CONTACT SURFACES		6/18/2013	3	HL1B	
			a)Soda nozzles found dirty. b)Tea nozzles found dirty. c)Container holding to go utensils found dirty.					

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

SUNSHINE VALLEY CHILD CARE

4618 RIVER RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD22					6/19/2013	0	HL1B

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****SUPER A DISCOUNT
1401 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2377	EHF25	COS	FOOD CONTACT SURFACES		6/19/2013	12	HL1B
			Soda nozzles found not clean. b)Tongs for pickled eggs and pickles stored in receptacle not clean.				
	EHF27	H10DAY	ESTABLISHMENT PERMIT		6/19/2013		
			Must schedule and pass final inspection with Building Safety and receive "Certificate of Occupancy" before health permit can be issued.				
	EHF23	H10DAY	SEWAGE/WASTEWATER		6/19/2013		
			Wastewater leak found under 3 compartment sink.				
	EHF24	H10DAY	THERMOMETERS		6/19/2013		
			Broken thermometers in walk-in refrigerator need to be replaced.				

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13**

ESTABLISHMENT**SUPER MERCADO LOS OLIVOS****3803 NE 24TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1324	EHF22	IN	MANAGER KNOWLEDGE/CERTIFIED Food manager card acquired.		6/17/2013	0	HFOL
	EHF09	IN	APPROVED SOURCE/LABELING Fish labeled.		6/17/2013		

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

SYBIL B HARRINGTON LEARNING CT**2500 DALE ST**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD23	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/17/2013	3	HL1B
			No paper towels at handsink in kitchen.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/17/2013		
			Cracked egg in egg crate stored above fruit in refrigerator. Eggs should be stored on lower shelf and not above fruits or vegetables.				

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13****ESTABLISHMENT****TACO VILLA #6
3500 E INTERSTATE 40**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF918	EHF28	COS	ALL OTHER VIOLATIONS		6/14/2013	3	HL1B
			A)Clean mold off blower cover in walk in cooler. B)Clean dust off of blower covers in walk in freezer.				
	EHF25	COS	FOOD CONTACT SURFACES		6/14/2013		
			Dirty utensil found stored with clean utensils.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

TAYLOR FOOD MART #2042

4430 S WESTERN ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2194	EHF22	H30 DAY	MANAGER KNOWLEDGE/CERTIFIED		6/18/2013	23	HL1B
			Current food manager no longer works here. A new food manager must be certified. Class is offered the 2nd Wednesday of every month at 8am. Cost is \$40.				
	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2013		
			a)Wipe out bottom of standup freezer. b)Dust ceiling in walk in cooler by blowers. c)Replace/reset tiles in closet storage. d)Defrost ice cream cooler.				
	EHF17	COS	HAND WASH WITH SOAP/TOWELS		6/18/2013		
			No soap or paper towels at handsink in ware washing area.				
	EHF03	COS	HOT HOLDING		6/18/2013		
			Some food items on roller grill were below 135F.				
	EHF08	COS	GOOD HYGIENIC PRACTICES		6/18/2013		
			Handsink in warewashing area is full of bottles and cans. The handsink must remain clean and sanitary.				

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13**

ESTABLISHMENT

TAYLOR FOOD MART #2042

HF2194	EHF14	H10DAY	WATER SUPPLY	6/18/2013	23	HL1B
--------	-------	--------	--------------	-----------	----	------

a)No hot water at handsink in front area. Establishment has 10 days to correct.

	EHF13	COS	HACCP PLAN/TIME	6/18/2013		
--	-------	-----	-----------------	-----------	--	--

Opened package of sausages in cooler with no date mark. Date mark all packages of potentially hazardous food when they are opened.

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**TAYLOR FOOD MART #2091
1600 E AMARILLO BLVD**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2193	EHF13	COS	HACCP PLAN/TIME		6/18/2013	10	HL1B
			Inconsistent datemarking procedure found on containers of hot-dogs in walk-in refrigerator.				
	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/18/2013		
			Seal bare wood located in dry storage room. b)Corrected from previous. c)Fix cabinet doors underneath slushie/cappuccino machine. d)Food establishment permit has been posted. IN.				
	EHF22	H10DAY	MANAGER KNOWLEDGE/CERTIFIED		6/18/2013		
			Food manager needed at establishment. Take on-line certification to our office and pay fee to obtain card.				
	EHF24	COS	THERMOMETERS		6/18/2013		
			Thermometer missing in walk-in refrigerator. b)Chili and cheese dispenser found not clean.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

TOOT N TOTUM #12

3365 BELL ST

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF1442	EHF28	COS	ALL OTHER VIOLATIONS		6/18/2013	8	HL1B
			a)Bucket that holds tongs in the back area needs cleaned. b)Sausage in cooler expired on 06-16.				
	EHF03	COS	HOT HOLDING		6/18/2013		
			a)Items on roller at 110F. Roller was not at proper temperature. b)Items in hot old cabinet at 115-125F. Hot hold cabinet was not at proper temperature.				
	EHF21	COS	MANUAL WARE WASHING		6/18/2013		
			a)Quat sanitizer in spray bottle below 200 ppm. Must be at least 200 ppm, not exceeding 400 ppm.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT**TRAVIS MIDDLE SCHOOL**

2815 MARTIN RD

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF669					6/13/2013	0	HL1B

WATLEY LEARNING CENTER

1208 NW 13TH AVE

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HFD26					6/18/2013	0	HL1B

Food Establishment Public Inspection Report**From 6/13/13 thru 6/19/13**

ESTABLISHMENT

YOUNGBLOODS STOCKYARD CAFE DT**620 SW 16TH AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2419	EHF28	H10DAY	ALL OTHER VIOLATIONS		6/17/2013	0	H PREOPEN
			Self closers needed on all outside doors. Spanish/English handwash signs needed in all bathrooms. Fix drywall behind door leading to walkin. Fix lightshield in kitchen. Establishment is clear to open.				
	EHF16	H10DAY	HAND WASH FACILITIES ADEQUATE		6/17/2013		
			Handsink needed in catering kitchen before using that area.				
	EHF17	H10DAY	HAND WASH WITH SOAP/TOWELS		6/17/2013		
			Soap and paper towels needed in the catering kitchen and bathrooms.				

Food Establishment Public Inspection Report

From 6/13/13 thru 6/19/13

ESTABLISHMENT

**ZEMERS DELI
2916 WOLFLIN AVE**

Permit #	Violation Code	Status Code	Description	Comments	Inspection Date	Demerits	Inspection Type
HF2425	EHF28	H45 DAY	ALL OTHER VIOLATIONS		6/19/2013	0	H PREOPEN
			a)Register a food manager for this site. b)Restaurant OK to open.				