



W:\COA Standard Detail Sheets From Web\2026 CPD&E Standards Details Updated June 2026\Wastewater\Standard Details - Wastewater.dwg




- NOTES:
- 1) TAPS 8" OR LARGER REQUIRE CONSTRUCTION OF A MANHOLE
 - 2) TAP TO BE PLACED AT THE APPROXIMATE MIDPOINT OF THE LOT BEING SERVED
 - 3) THIS DETAIL SHALL APPLY WHEN DEPTH OF SEWER MAIN EXCEEDS APPROXIMATELY 10'

DEEP SEWER TAP DETAIL





STANDARD
30" MANHOLE RING AND COVER




- NOTES:
- 1) TAPS 8" OR LARGER REQUIRE CONSTRUCTION OF A MANHOLE
 - 2) TAP TO BE PLACED AT THE APPROXIMATE MIDPOINT OF THE LOT BEING SERVED
 - 3) THIS DETAIL SHALL APPLY WHEN DEPTH OF SEWER MAIN EXCEEDS APPROXIMATELY 10'

SHALLOW SEWER TAP DETAIL





- NOTE:
1. APPROVED WATER SEALANT REQUIRED AT ALL JOINTS. WATERTIGHT MANHOLE FRAME MODE #1045Z BY EAST JORDAN IRON WORKS, INC OR APPROVED EQUAL.
 2. STAINLESS STEEL REQUIRED FOR ALL HARDWARE AND FASTENERS.
 3. BOLT DOWN MANHOLE FRAME AND COVER SHALL BE IN FLOODPLAIN AREAS.

BOLT DOWN
30" MANHOLE RING AND COVER



MANHOLE PLAN VIEW



PROJECT DESCRIPTION:

COA STANDARDS

REVISIONS

SHEET TITLE:

STANDARD DETAIL SHEET—
WASTE WATER

DESIGNED BY:
RODNEY RICH

DATE:
7/28/26

APPROVED BY:
JACKSON ZAHARIA

SCALE:
N/A

PROJECT NO:

N/A

SHEET NO:

02 OF 02